


Desktop Cabinets

PDMTA Series



PDMTA Desktop Cabinets

PDMTA cabinets feature contemporary radius edge styling. PDMTAs reflect IMS Engineered Products commitment to quality design and manufacturing. Common applications for IMS Engineered Products desktop cabinets include:

- Electronic Test Equipment
- Monitors
- System Instrumentation
- Prototyping

Desktop cabinets can be modified for custom applications; special sizes and color options are quoted on request.

All IMS Engineered Products desktop cabinets are available with an optional concealed handle for easy, ergonomic transport. Protective rubber feet are standard.



PDMTA Series Features

EIA Standard 310 D

Aluminum framing system with clear anodized aluminum radius styling

Vertical mounting channels, front and rear, are fixed

Cabinets are supplied open front and rear

Protective front to back vinyl bumper inserts and four rubber feet

Black anodized expanded aluminum bottom panel

Uses most standard FX Series Accessories—see pages 13–20

4 accessory internal mounting IMB brackets (IMBs are for cabinets with a panel opening height of 7.062" (179.38 mm) or higher.

IMAs are for 3.50" (88.90 mm) and 5.25" (133.35 mm) panel height

7 Panel Opening Heights

2 Frame Depths

DESKTOP CABINETS - PDMTA

Handle Selection (Optional)

If handles are desired for PDMTA cabinets, add “-H” to the end of part number.


Handles are optional at additional cost. (Note: Handle is not available on PDMTA3 cabinets).

Handles cannot be ordered separately—must be ordered with cabinet. Not retrofittable.

Color Selection

Select AMCO standard color from Color Guide on page 6 and specify selection with order. Substitute “##” in desired part number with one of the following paint finishes:

101 – Pottery White	111 – Light Blue
112 – Silver	113 – Gunmetal
116 – Black	122 – Pearl Gray
123 – Pebble Gray	125 – Light Beige
126 – Cranberry	816 – Medium Blue



PDMTA Desktop Cabinet					
Rack Unit Height Designate	Panel Height Inches	Overall Height Inches	Cabinet Depth Inches	Part Number	Color
2	3.50"	4.93"	18.50"	PDMTA3-19-18-PT ##	
2	3.50"	4.93"	25.75"	PDMTA3-19-25-PT ##	
3	5.25"	6.68"	18.50"	PDMTA5-19-18-PT ##	
3	5.25"	6.68"	25.75"	PDMTA5-19-25-PT ##	
4	7.00"	8.43"	18.50"	PDMTA7-19-18-PT ##	
4	7.00"	8.43"	25.75"	PDMTA7-19-25-PT ##	
6	10.50"	11.93"	18.50"	PDMTA10-19-18-PT ##	
6	10.50"	11.93"	25.75"	PDMTA10-19-25-PT ##	
8	14.00"	15.43"	18.50"	PDMTA14-19-18-PT ##	
8	14.00"	15.43"	25.75"	PDMTA14-19-25-PT ##	
10	17.50"	18.93"	18.50"	PDMTA17-19-18-PT ##	
10	17.50"	18.93"	25.75"	PDMTA17-19-25-PT ##	
12	21.00"	22.43"	18.50"	PDMTA21-19-18-PT ##	
12	21.00"	22.43"	25.75"	PDMTA21-19-25-PT ##	

* **Note:** 24" width available. Add 5.00" to 19" width dimension. Replace 19 with 24 in part number for 24" width (i.e., PDMTA3-19-18-PT becomes PDMTA3-24-18-PT).




Ordering Example — PDMTA7-19-18-PT-H

Panel opening height	7.062" (179.38 mm)
Panel opening width	19.062" (484.18 mm)
Overall depth	18.750" (476.25 mm)
Painted with handle =	PDMTA7-19-18-PT-H
Finish selection:	Textured Black 116T

DESKTOP CABINETS - PDMTA

RU Height	Width	Part No.	Dimensions		
			A	B	C
2	19"	PDMTA3-19-18-PT	3.50	4.93	18.75
2	19"	PDMTA3-19-25-PT	3.50	4.93	25.75
3	19"	PDMTA5-19-18-PT	5.25	6.68	18.75
3	19"	PDMTA5-19-25-PT	5.25	6.68	25.75
4	19"	PDMTA7-19-18-PT	7.00	8.43	18.75
4	19"	PDMTA7-19-25-PT	7.00	8.43	25.75
6	19"	PDMTA10-19-18-PT	10.50	11.93	18.75
6	19"	PDMTA10-19-25-PT	10.50	11.93	25.75
8	19"	PDMTA14-19-18-PT	14.00	15.43	18.75
8	19"	PDMTA14-19-25-PT	14.00	15.43	25.75
10	19"	PDMTA17-19-18-PT	17.50	18.93	18.75
10	19"	PDMTA17-19-25-PT	17.50	18.93	25.75
12	19"	PDMTA21-19-18-PT	21.00	22.43	18.75
12	19"	PDMTA21-19-25-PT	21.00	22.43	25.75

Frame includes Clear Anodized Radius Frame w/built-in mounting channels front and rear, side and top panels and expanded steel bottom, 4 ea. rubber feet.



DESKTOP CABINETS - PDMTA